



INSTALLING THE GECS AGENT v.4.60 FOR OS/400

- A. Go to the computer running OS/400.
 - B. Login as QSECOFR
 - C. Enter
CRTLIB LIB(GECSLIB)
CRTLIB LIB(INSTLIB)
CRTSAVF FILE(INSTLIB/GECSSAVF)
 - D. Go to a computer running Windows.
 - E. Enter
MD C:\GECSSFILE
 - F. Download the OS/400 Save File from the GECS web site as C:\GECSSFILE\GECSSAVF
*** On the GECS web site, the file will have a six digit number appended to the name.
Save it on your system **without** the six digit number
 - G. Open a command shell (Start->Run->CMD.EXE)
 - H. Enter
C:
CD \GECSSFILE
 - I. Start an FTP session with the computer running OS/400 by entering:
FTP *computername*
(where *computername* is the IP name or number of the computer running OS/400).
 - J. Login to the computer running OS/400 as QSECOFR
 - K. Enter
BINARY
PUT GECSSAVF INSTLIB/GECSSAVF (REPLACE
Note that there is NO closing parenthesis on the above command.
QUIT
 - L. Go back to the computer that is running OS/400.
 - M. Enter
RSTLIB SAVLIB(GECSLIB) DEV(*SAVF) SAVF(INSTLIB/GECSSAVF)
DLTLIB LIB(INSTLIB)
- To start the agent, enter:
SBMJOB CMD(call pgm(gecslib/gecsagnt) parm('-n agentname' '-v')) ALWMLTTHD(*YES)



Copyright 2014 Vinzant Software, Inc. All Rights Reserved.

All company and product names are trademarks, or registered trademarks, of their respective owners.