



---

## INSTALLING THE GECS AGENT v.4.70 FOR OS/400

- A. Go to the computer running OS/400.
  - B. Login as QSECOFR
  - C. Enter  
CRTLIB LIB(GECSLIB)  
CRTLIB LIB(INSTLIB)  
CRTSAVF FILE(INSTLIB/GECSSAVF)
  - D. Go to a computer running Windows.
  - E. Enter  
MD C:\GECSDATA
  - F. Download the OS/400 Save File from the GECS web site as C:\GECSDATA\GECSSAVF  
\*\*\* On the GECS web site, the file will have a six digit number appended to the name.  
Save it on your system **without** the six digit number
  - G. Open a command shell (Start->Run->CMD.EXE)
  - H. Enter  
C:  
CD \GECSDATA
  - I. Start an FTP session with the computer running OS/400 by entering:  
FTP *computername*  
(where *computername* is the IP name or number of the computer running OS/400).
  - J. Login to the computer running OS/400 as QSECOFR
  - K. Enter  
BINARY  
PUT GECSSAVF INSTLIB/GECSSAVF (REPLACE  
Note that there is NO closing parenthesis on the above command.  
QUIT
  - L. Go back to the computer that is running OS/400.
  - M. Enter  
RSTLIB SAVLIB(GECSLIB) DEV(\*SAVF) SAVF(INSTLIB/GECSSAVF)  
DLTLIB LIB(INSTLIB)
- To start the agent, enter:  
SBMJOB CMD(call pgm(gecslib/gecsagnt) parm('-n agentname' '-v')) ALWMLTTHD(\*YES)



Copyright 2017 Vinzant Software, Inc. All Rights Reserved.

All company and product names are trademarks, or registered trademarks, of their respective owners.